



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/573,870

01/05/2007

Keith Richard Mitchelson

514572004500

7096

25225 7590 09/14/2010
MORRISON & FOERSTER LLP
12531 HIGH BLUFF DRIVE
SUITE 100
SAN DIEGO, CA 92130-2040

EXAMINER

COOLEY, CHARLES E

ART UNIT

PAPER NUMBER

1797

MAIL DATE

DELIVERY MODE

09/14/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/573,870	Applicant(s) MITCHELSON, KEITH RICHARD	
	Examiner CHARLES COOLEY	Art Unit 1797	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 June 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☒ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3,5,8-11,15,16,18 and 20-28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) 1-3,5,8-11,15,16,18 and 20-28 is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 29 June 2010 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

OFFICE ACTION

- 1. This application remains assigned to Technology Center 1700, Art Unit 1797 and the following will apply for this application:**

Please direct all written correspondence with the correct application serial number for this application to **Art Unit 1797**.

Telephone inquiries regarding this application should be directed to the Electronic Business Center (EBC) at <http://www.uspto.gov/ebc/index.html> or 1-866-217-9197 or to the Examiner at (571) 272-1139. All official facsimiles should be transmitted to the centralized fax receiving number 571-273-8300.

Priority

2. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d). All of the CERTIFIED copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

Drawings

3. The replacement sheets of drawings filed on 29 JUN 2010 are objected to because of the following informalities:
- a. Figures 1A, 2A, 2D, 3A, 3D, 4A, 4D, 5A, and 5D lack appropriate reference characters and lead lines to identify the illustrated elements (37 CFR 1.84(p)(q)).

Art Unit: 1797

b. the drawings still contain improper sectional views. The plane upon which a sectional view is taken should be indicated on the view from which the section is cut by a broken line. The ends of the broken line should be designated by Arabic or Roman numerals corresponding to the view number of the sectional view, and should have arrows to indicate the direction of sight (37 CFR 1.84(h)(3)). Correction is required.

For example, Figure 1C should be a sectional view taken along line 1C-1C in Figure 1A (not sectional line A-A), Figure 1B should be a sectional view taken along line 1B-1B in Figure 1A, etc. All sectional views should be corrected in accordance with 37 CFR 1.84(h)(3).

Applicant should also ensure a proper one-to-one correspondence between the specification and drawings in accordance with MPEP 608.01(g) and 37 CFR 1.84(f). The brief description of the drawings and the descriptive portion of the specification require revision in accordance with the above drawing objections.

Correction is required.

4. Applicant should verify that (1) all reference characters in the drawings are described in the detailed description portion of the specification and (2) all reference characters mentioned in the specification are included in the appropriate drawing Figure(s) as required by 37 CFR 1.84(p)(5).

5. The drawings are objected to because suitable descriptive and concise text legends should be provided to label the depicted elements of the invention such as the pumps 10, controller 13, sensor 12, in Figure 1C for understanding of the drawings (37

Art Unit: 1797

CFR 1.84(o)). Suggested formats for labeling the elements of the invention via text legends can be found in Figs. 1-2b of US Patent No. 6,568,842; Fig. 1 of US Patent No. 6,554,467; or Figs. 1-4 of US Patent No. 6,367,960. Note elements such as "WATER METER", "TRANSFER PUMP", and "HEATER" are clearly labeled with such text legends for improved and rapid understanding of the drawings.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

Replacement Drawing Sheets

Drawing changes must be made by presenting replacement figures which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments, or remarks, section of the amendment. Any replacement drawing sheet must be identified in the top margin as "Replacement Sheet" (37 CFR 1.121(d)) and include all of the figures appearing on the immediate prior version of the sheet, even though only one figure may be amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin.

Annotated Drawing Sheets

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheets must be clearly labeled as "Annotated Marked-up Drawings" and accompany the replacement sheets.

Timing of Corrections

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

Art Unit: 1797

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

Specification

6. The disclosure is objected to because of the following informalities:
 - a. Page 10, line 22: to agree with claims 9 and 23, insert --or baffles-- after "mixer/agitator vanes" to clarify the disclosure.
7. The substitute abstract is acceptable.
8. The amended title is acceptable.

Claim Objections

9. Claims 18, 26, 27, and 28 are objected to because:
 - a. Claim 18, line 1: replace "An apparatus" with -- A method--.
 - b. Claim 26, line 1: replace "The method" with --A method-- to agree with the other claims.
 - c. Claim 27, line 1: replace "The method" with --A method-- to agree with the other claims.
 - d. Claim 28, line 1: replace "The method" with --A method-- to agree with the other claims.

Correction is required.

Allowable Subject Matter

10. Claims 1-3, 5, 8-11, 15-16, 18, and 20-28 are allowable over the prior art for the reasons advanced by Applicant in the response filed 29 JUN 2010.

Conclusion

11. This application is in condition for allowance except for the formal matters outlined above.

Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E. Cooley in Art Unit 1797 whose telephone number is (571)272-1139. The examiner can normally be reached on Mon. - Fri... The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1797

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Charles E. Cooley/

Charles E. Cooley
Primary Examiner
Art Unit 1797

10 September 2010